



RICK SNYDER
GOVERNOR

State of Michigan
DEPARTMENT OF HUMAN SERVICES
BUREAU OF CHILDREN AND ADULT LICENSING



MAURA D. CORRIGAN
DIRECTOR

March 24, 2011

Barbara Van Horn
214 Federal Street
Midland, MI 48642

RE: Application #: DG560311394
Van Horn, Barbara
214 Federal Street
Midland, MI 48642

Dear Ms. Van Horn:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, a provisional license for 12 is issued.

Please review the attached documentation for accuracy and feel free to contact me with any questions at (989) 358-5785.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

Marcia Demski, Licensing Consultant
Bureau of Children and Adult Licensing
1509 Washington, Ste A
P.O. Box 1609
Midland, MI 48641

Enclosure

**MICHIGAN DEPARTMENT OF HUMAN SERVICES
BUREAU OF CHILDREN AND ADULT LICENSING
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DG560311394
Applicant Name:	Barbara Van Horn
Applicant Address:	214 Federal Street Midland, MI 48642
Applicant Telephone #:	(989) 837-6635
Name of Facility:	Van Horn, Barbara J
Facility Address:	214 Federal Street Midland, MI 48642
Facility Telephone #:	(989) 837-6635
Application Date:	11/29/2010
Capacity:	12
Program Type:	CHILD CARE GROUP HOME (CAPACITY 7-12)

II. METHODOLOGY

10/06/2010	Inspection Completed-Heating Approved
10/06/2010	Inspection Completed-Water Heater
11/29/2010	Enrollment
12/01/2010	Contact - Documents Received-medical clearances and TB clearances.
12/01/2010	Contact - Document Received-CPR, first aid and blood-borne pathogens certifications.
12/08/2010	PSOR on Address Completed
12/08/2010	Contact - Documents Sent-Home Licensing Rules & Public Act 116 booklets
12/08/2010	Application Incomplete Letter Sent Documents Received-Zoning approval and TB clearances.
12/14/2010	Contact - Document Received-Licensing Clearance Record Request form.
12/14/2010	Contact - Document Received- Radon Test Results.
01/25/2011	Contact - Telephone call received- TB clearance test needed.
01/26/2011	File Transferred To Field Office Midland Office
02/25/2011	Inspection Completed On-site
03/23/2011	Contact – Document Received-TB test results received.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

Rooms and levels approved for child care use: Barb's Creative Care" group child care is located in a gray aluminum-sided ranch-style home, which is near the Circle Plaza shopping center, and the intersection of Cambridge and Federal Streets in Midland. The main floor rooms approved as child use space include the living room, dining/kitchen area, and two bathrooms. The basement level room approved for use is the child care room.

Areas not approved: The bedrooms on the main floor will not be used for child care. The laundry room, furnace room and storage room in the basement will not be used.

Ages of children served: Child care services are offered to children from birth to 12 years old.

Equipment: There is an adequate amount of toys and equipment for children up to 12 years of age.

Proposed days and hours of operation: Child care services are offered Monday through Friday from 6:00 AM to 6:00 PM.

Previous or concurrent licenses, including children's foster care: Barbara Van Horn has been licensed as a family home child care provider for four years in Midland County.

Exiting information (including second floor and basement): The second exit from the basement is an egress window.

Outdoor play area description: Outdoor play will occur in the fenced back yard area where children can use riding toys, balls, trucks and other outside equipment. There is a swing set with a slide, sand box, play house and activity jungle gym for the children to use.

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

- CPR, first aid, and blood borne pathogen training current? No Yes

Radon test results: 0.5 pCi/L on 03/20/09.

Explanation of variances, if any: None.

IV. RECOMMENDATION

I recommend issuance of a provisional license to this child care group home (capacity 7-12).

Marcia Demski

Marcia Demski
Licensing Consultant

03/24/11

Approved By:

Jackie Horton

Jackie Horton
Area Manager

03/24/11