



RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

SHELLY EDGERTON  
DIRECTOR

January 30, 2017

Kacey Lassen  
2847 E. Huckleberry Trail  
Farwell, MI 48622

RE: Application #: DG180385902  
Lassen, Kacey  
2847 E. Huckleberry Trail  
Farwell, MI 48622

Dear Ms. Lassen:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, a provisional license 12 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (231) 922-5309.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in blue ink that reads "Candice Case-French".

Candice Case-French, Licensing Consultant  
Bureau of Community and Health Systems  
931 S Otsego Ave., Suite 3  
Gaylord, MI 49735  
(989) 370-8192

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
LICENSING STUDY REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG180385902
<b>Applicant Name:</b>	Kacey Lassen
<b>Applicant Address:</b>	2847 E. Huckleberry Trail Farwell, MI 48622
<b>Applicant Telephone #:</b>	(989) 317-5693
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Lassen, Kacey
<b>Facility Address:</b>	2847 E. Huckleberry Trail Farwell, MI 48622
<b>Facility Telephone #:</b>	(989) 317-5693
<b>Application Date:</b>	11/30/2016
<b>Capacity:</b>	12
<b>Program Type:</b>	CHILD CARE GROUP HOME (CAPACITY 7-12)

## II. METHODOLOGY

11/12/2016	Inspection Completed-Heating Approved
11/12/2016	Inspection Completed-Water Heater
11/30/2016	Enrollment
12/02/2016	Contact - Documents Received
12/06/2016	PSOR on Address Completed
12/06/2016	Inspection Report Requested - Health 1026442.
01/10/2017	Inspection Completed-Environmental Health : A
01/10/2017	Application Complete/On-site Needed
01/10/2017	File Transferred To Field Office Gaylord.
01/27/2017	Inspection Completed On-site
01/27/2017	Inspection Completed-BCAL Full Compliance

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS

### A. Description of Facility

The two story home with full basement is located in a subdivision in Farwell, MI.

**Rooms and levels approved for child care use:** The living room, dining room, kitchen, and playroom on the main floor are approved for child care use. The bathroom is located next to the playroom.

**Areas not approved:** The master bedroom on the main floor, the second story, and the basement are neither approved nor used for child care.

**Ages of children served:** The licensed group child care home serves children birth through 12 years of age.

**Equipment:** The licensed group child care home has a variety of developmentally appropriate equipment including blocks, riding toys, books, games, dramatic play, musical instruments, tools, animals, and infant toys.

**Proposed days and hours of operation:** The licensed group child care home is open Monday through Friday from 5:30 am to 5:30 pm.

**Previous or concurrent licenses, including children's foster care:** The licensee, Kacey Lassen was previously registered as family child care home DF180381086 from 04/13/2016 to 01/29/2017.

**Exiting information (including second floor and basement):** There are four exits located at this licensed group child care home. The first exit is the front door in the living room and provides egress to the front yard. The second exit is the side door between the living room and dining room and provides egress to the driveway on the side of the home. The third exit is the sliding glass door in the dining room and provides egress to the deck and backyard. The fourth exit is the window in the playroom and provides egress to the backyard.

**Outdoor play area description:** The outdoor play area is located in the backyard and is accessible through the sliding glass door in the dining room. The backyard is fenced in. There is a variety of developmentally appropriate equipment and toys including a swing set and a play climber.

Additional information:

- Pets? No  Yes  If yes, describe. A black Labrador resides in the home.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe. There is a man-made pond/waterfall in the front yard. The house creates a natural barrier from the outside play area. The approved outdoor play area is fenced in. Children will only play outdoors with direct supervision in the approved play area.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes   If yes, describe barriers to protect children from burns:

**Explanation of variances, if any:** There are no approved variances for this licensed group child care home.

## **B. Rule/Statutory Violations**

There are no rule/statutory violations.

**IV. RECOMMENDATION**

I recommend issuance of a provisional license to this child care group home (capacity 7-12).

*Candice Case-French*

January 30, 2017

---

Candice Case-French  
Licensing Consultant

Date

Approved By:

*Rose A. Rafferty-Aguirre*

January 30, 2017

---

Rose A. Rafferty-Aguirre  
Area Manager

Date