



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

SHELLY EDGERTON
DIRECTOR

December 5, 2017

Jackie Anderson
3816 Milan Sw
Wyoming, MI 49509

RE: Registration #: DF410065103
Anderson, Jackie
3816 Milan Avenue, SW
Wyoming, MI 49509-3938

Dear Ms. Anderson:

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, your registered license is renewed.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Jeffrey Ball".

Jeffrey Ball, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 490-9570
enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF410065103
Registrant Name:	Jackie Anderson
Registrant Address:	3816 Milan Sw Wyoming, MI 49509
Registrant Telephone #:	(616) 532-5325
Licensee:	N/A
Name of Facility:	Anderson, Jackie
Facility Address:	3816 Milan Avenue, SW Wyoming, MI 49509-3938
Facility Telephone #:	(616) 532-5325
Original Issuance Date:	03/01/1995
Capacity:	6
Age Range:	Ages Birth Thru 14 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 12/05/2017

		No. of Records Reviewed
No. of children enrolled in care	7	7
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The main level of the home including the kitchen/dining room, the living room, and two bedrooms are approved for child care use.

Exiting information (including second floor and basement): Main floor exits include the front door and the side door.

Approved variances - No Yes Description:

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
One dog
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During my on-site inspection I observed child care children engaged in free play with blocks.

The facility is in compliance with all applicable rules and statutes

IV. RECOMMENDATION

I recommend issuance of a certificate of registration to this child care family home (capacity 1-6).



12/05/2017

Jeffrey Ball
Licensing Consultant

Date