



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

SHELLY EDGERTON
DIRECTOR

August 7, 2018

Rebecca Cochrane
7540 Crego Rd.
Brooklyn, MI 49230

RE: License #: DG380244581
Cochrane, Rebecca
7540 Crego Road
Brooklyn, MI 49230

Dear Ms. Cochrane:

Your Group Child Care Home license is renewed. It is valid only at your present address and is nontransferable. If you move, please notify us at least 30 days in advance. You will be receiving the license in the mail. Please review it for accuracy.

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. You have submitted an acceptable written corrective action plan covering the violations cited in the report. Therefore, your license is renewed.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9720.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Monica Sturdivant".

Monica Sturdivant, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG380244581
Licensee Name:	Rebecca Cochrane
Licensee Address:	7540 Crego Rd. Brooklyn, MI 49230
Licensee Telephone #:	(517) 592-4010
Licensee:	N/A
Name of Facility:	Cochrane, Rebecca
Facility Address:	7540 Crego Road Brooklyn, MI 49230
Facility Telephone #:	(517) 592-4010
Original Issuance Date:	01/03/2002
Capacity:	12
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 08/01/2018

	No. of Records Reviewed	
No. of children enrolled in care	5	3
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	3	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The rooms on the main level of the home are approved for child care use. These rooms include the kitchen, living room, dining room, and the three season's room.

Exiting information (including second floor and basement): There are two remote exits on the main level of the home. The basement is utilized only for emergency shelter during weather emergencies.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
Mrs. Cochran has two dogs and one cat. The pet food and supplies were located in an area inaccessible to the child care children
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct

observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1932 Home maintenance and safety.

(2) All dangerous and hazardous materials or items shall be stored securely and out of the reach of children.

Several hazardous supplies were found in the bathroom that is utilized by the child care children. The hazardous supplies include cleaning products and personal hygiene supplies that should be securely stored. Various prescription medications were also observed unsecured on the counter in the kitchen.

R 400.1933 Water supply; sewage disposal; water temperature.

(4) Hot water temperature shall not exceed 120 degrees Fahrenheit at water faucets accessible to children.

During the inspection the water temperature was 129.7 degrees Fahrenheit.

Technical assistance was provided for the following topics:

- Background check requirements
- Health and safety trainings
- Maintaining all training certificates
- Infant safe sleep requirements
- Ensuring child information cards are completely filled out and updated.

A corrective action plan was requested and approved on 08/01/2018. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).



08/07/2018

Monica Sturdivant
Licensing Consultant

Date