



RICK SNYDER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

SHELLY EDGERTON  
DIRECTOR

July 9, 2018

Thabteh, Ratibeh and Thabeth, Eman  
3803 Century Ct.  
Ypsilanti, MI 48197

RE: License #: DG810275274  
**J & A Daycare**  
**3803 Century Court**  
**Ypsilanti, MI 48197**

Dear Thabteh, Ratibeh and Thabeth, Eman:

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. You have submitted an acceptable written corrective action plan covering the violations cited in the report. Therefore, your license is renewed.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9720.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Kimberly Brown".

Kimberly Brown, Licensing Consultant  
Bureau of Community and Health Systems  
22 Center Street  
Ypsilanti, MI 48198  
(734) 417-9703

Enclosure



**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG810275274
<b>Licensee Name:</b>	Thabteh, Ratibeh and Thabeth, Eman
<b>Licensee Address:</b>	3803 Century Ct. Ypsilanti, MI 48197
<b>Licensee Telephone #:</b>	
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	J & A Daycare
<b>Facility Address:</b>	3803 Century Court Ypsilanti, MI 48197
<b>Facility Telephone #:</b>	(734) 434-6673
<b>Original Issuance Date:</b>	05/26/2005
<b>Capacity:</b>	12
<b>Age Range:</b>	Ages Birth Thru 17 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 07/06/2018

	No. of Records Reviewed	
No. of children enrolled in care	12	12
No. of assistant caregivers employed	2	2
No. of child care children present at time of inspection	8	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input checked="" type="checkbox"/>	

Approved child use space: The main floor and upper level of the home  
Exiting information (including second floor and basement): The front door, back patio door and window on the second floor.

Approved variances -  No  Yes Description:

Key Indicator Inspection: No

### Additional information:

- Pets? No  Yes  If yes, describe.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

**R 400.1923            Diapering and toilet learning.**

**(2) The designated changing area shall comply with all of the following:**

**(d) Have a nonabsorbent, easily sanitized surface with a changing pad between the child and the surface.**

The diaper pad did not have a nonabsorbent easily sanitized surface.

**R 400.1923            Diapering and toilet learning.**

**(2) The designated changing area shall comply with all of the following:**

**(e) Be cleaned and sanitized after each use.**

Ms. Thabteh was not using the three step cleaning process when cleaning the diaper changing pad.

**R 400.1941            Heat-producing equipment.**

**(5) For group child care homes, the inspection specified in subrule (4) of this rule shall be conducted before the initial license issuance and every 2 years thereafter at the time of license renewal.**

The hot water heater and furnace inspection was not current. Ms. Thabteh called and scheduled the inspection at the time of the renewal.

A corrective action plan was requested and approved on 07/06/2018. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

#### IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).



07/09/2018

---

Kimberly Brown  
Licensing Consultant

Date