



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

SHELLY EDGERTON
DIRECTOR

March 27, 2018

Khawla Ajin
4046 Crystal Creek
Ypsilanti, MI 48197

RE: Registration #: DF810300052
Ajin Daycare
4046 Crystal Creek
Ypsilanti, MI 48197

Dear Ms. Ajin:

Your Family Child Care Home license is renewed. It is valid only at your present address and is nontransferable. If you move, please notify us at least 30 days in advance.

You will be receiving the license in the mail. Please review it for accuracy.

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. You have submitted an acceptable written corrective action plan covering the violations cited in the report. Therefore, your license is renewed.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9720.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Kimberly Brown". The signature is written in a cursive, flowing style.

Kimberly Brown, Licensing Consultant
Bureau of Community and Health Systems
22 Center Street
Ypsilanti, MI 48198
(734) 417-9703

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF810300052
Registrant Name:	Khawla Ajin
Registrant Address:	4046 Crystal Creek Ypsilanti, MI 48197
Registrant Telephone #:	(734) 528-0939
Licensee:	N/A
Name of Facility:	Ajin Daycare
Facility Address:	4046 Crystal Creek Ypsilanti, MI 48197
Facility Telephone #:	(734) 972-1207
Original Issuance Date:	03/12/2009
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/21/2018

	No. of Records Reviewed	
No. of children enrolled in care	7	7
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: Main floor of the home
Exiting information (including second floor and basement): Front door and back patio door.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905 Training.

(1) The caregiver shall complete not less than 10 clock hours of training each year related to child development, program planning, and administrative management for a child care business, not including CPR, first aid, and blood-borne pathogen training.

Ms. Ajin was missing 2.5 hours of training for 2016.

R 400.1907 Children's records.

(2) Records in subrule (1) of this rule shall be reviewed and updated annually or when information changes.

Three out of seven child information cards had not been updated annually as required.

R 400.1907 Children's records.

(3) Dated daily attendance records of children in care shall be maintained and shall include the child's first and last name and the time of arrival and departure.

The attendance records were not complete at the time of the inspection. Technical assistance was provided regarding maintaining accurate attendance at all times.

R 400.1944 Smoke detectors; fire extinguishers.

(3) A home shall have at least 1 functioning multipurpose fire extinguisher, with a rating of 2A-10BC or larger, properly mounted not higher than 5 feet from the floor to the top of the fire extinguisher, on each floor level approved for child use.

The fire extinguisher was not mounted at the time of the inspection.

A corrective action plan was requested and approved on 03/21/2018. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a certificate of registration to this child care family home (capacity 1-6).



3/22/2018

Kimberly Brown
Licensing Consultant

Date