



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

March 12, 2019

Mary Trucks
 FiveCAP Inc
 PO Box 37
 Scottville, MI 49454

RE: License #: DC530016619
Fountain Child Development Ctr
3876 E Main Street
Fountain, MI 49410

Dear Ms. Trucks:

This letter is a follow-up to the Department’s findings regarding the interim inspection conducted at your center on 03/11/2019. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Child Care Centers.

At the time of my onsite inspection, I observed one preschool classroom of 13 children and 2 caregivers, and another preschool classroom of 15 children and 3 caregivers. Both of the classrooms were engaged in free play. I observed positive interactions between caregivers and children.

The violations that were found are:

R 400.8375	Premises.
	(2) Stairs, walkways, ramps, landings, and porches shall meet all of the following requirements: (b) Shall be maintained in a safe condition relative to the accumulation of water, ice, or snow and shall have nonslip surfacing.
Program director Ms. Fuentes did not ensure that stairs, walkways, ramps, landings, and porches are maintained in a safe condition relative to the accumulation of water,	

ice, and snow. The front walkway and the landing leading into classroom 3 were slippery with an accumulation of ice and snow.

Due to the violations identified in the report, a **written corrective action plan** is required. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

A follow-up inspection may be made to verify compliance. Should the corrections not be made in the specified time, it may be necessary to reevaluate the status of your license.

The Department provides technical assistance to meet the licensing requirements and consultation to improve services.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9720.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your licensing notebook.

Sincerely,

Amanda Wendell

Amanda Wendell, Licensing Consultant
Bureau of Community and Health Systems
2700 Baker St.
P.O. Box 4290
Muskegon Heights, MI 49444
(231) 492-5410