



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 28, 2019

Jeannette Dusengimana
901 Buckingham St. SW
Wyoming, MI 49509

RE: License #: DF410397200
Dusengimana, Jeannette
901 Buckingham St. SW
Wyoming, MI 49509

Dear Mrs. Dusengimana:

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. You have submitted an acceptable written corrective action plan covering the violations cited in the report. Therefore, your license is renewed.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Samantha Struppa".

Samantha Struppa, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF410397200
Licensee Name:	Jeannette Dusengimana
Licensee Address:	901 Buckingham St. SW Wyoming, MI 49509
Licensee Telephone #:	(616) 432-7649
Licensee:	N/A
Name of Facility:	Dusengimana, Jeannette
Facility Address:	901 Buckingham St. SW Wyoming, MI 49509
Facility Telephone #:	(616) 216-9222
Original Issuance Date:	01/25/2019
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

08/19/2019

		No. of Records Reviewed
No. of children enrolled in care	4	4
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The main level of the home including the living room, kitchen/dining room and north bedroom are approved for child care use. The basement level of the home including the basement play room and the north bedroom are approved for child care use.

Exiting information (including second floor and basement): Main level exits include the front door, the rear slider and the side door. Basement level exits include the stairs to the main level and a remotely located egress window in the north basement bedroom.

Approved variances - No Yes Description:

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home’s records, including staff records and children’s records. Staff records include background checks, medical clearance information, and training information. Children’s records include child information cards and child in care statements/receipts.

During my onsite inspection, I observed snack time and free play. I observed interactions between Ms. Dusengimana and child care children to be positive.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1932 Home maintenance and safety.

(1) The structure, premises, and furnishings of a child care home shall be in good repair and maintained in a clean, safe, and comfortable condition.

The wooden fence under the back yard deck was broken with exposed nails and sharp edges.

A corrective action plan was requested and approved on 08/19/2019. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a original license to this child care family home (capacity 1-6).



08/28/2019

Samantha Struppa
Licensing Consultant

Date