



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 2, 2019

Barbara Benoit
1918 W 10th Avenue
Sault Ste Marie, MI 49783

RE: License #: DF170086544
Benoit, Barbara
1918 W. Tenth Avenue
Sault Ste. Marie, MI 49783

Dear Ms Benoit:

This letter is a follow-up to the Department's findings regarding the interim inspection conducted at your home on 07/23/2019. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Family and Group Child Care Homes.

The violations that were found are:

R 400.1931 Food preparation and service.

(12) Children shall not have beverage containers while they are in bed or while they are walking around or playing. The propping of bottles shall be prohibited.

Two children had beverage containers while they were walking around and playing.

Due to the violations identified in the report, **a written corrective action plan** is required. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.

- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

A follow-up inspection may be made to verify compliance. Should the corrections not be made in the specified time, it may be necessary to reevaluate the status of your license.

During the inspection, I observed children engaged in free play, watching TV, and eating cookies. Lunch preparation was starting. The child care home is clean. Technical assistance was provided with an updated recall list from Michigan Child Care Matters and discussion of health and safety training requirements. The Department provides technical assistance to meet the licensing requirements and consultation to improve services.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (906) 226-4171.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your licensing notebook.

Sincerely,



Anne O'Neill, Licensing Consultant
Bureau of Community and Health Systems
234 W. Baraga Ave.
Marquette, MI 49855
(906) 290-2131