



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

July 25, 2019

Kacey Lassen
2847 E. Huckleberry Trail
Farwell, MI 48622

RE: License #: DG180385902
Lassen, Kacey
2847 E. Huckleberry Trail
Farwell, MI 48622

Dear Ms. Lassen:

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, your regular license is renewed.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (517) 284-9720.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Donald W. Vita".

Donald W. Vita, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(231) 923-3045

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG180385902
Licensee Name:	Kacey Lassen
Licensee Address:	2847 E. Huckleberry Trail Farwell, MI 48622
Licensee Telephone #:	(989) 317-5693
Licensee:	N/A
Name of Facility:	Lassen, Kacey
Facility Address:	2847 E. Huckleberry Trail Farwell, MI 48622
Facility Telephone #:	(989) 317-5693
Original Issuance Date:	01/30/2017
Capacity:	12
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 07/23/2019

		No. of Records Reviewed
No. of children enrolled in care	15	10
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	10	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee <input checked="" type="checkbox"/>	
	Assistant Caregivers <input type="checkbox"/>	

Approved child use space: The playroom, kitchen, dining room and living room on the main floor are approved for child care use.

Exiting information (including second floor and basement): Exits are available living the living room and dining room doors.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).



7/25/2019

Donald W. Vita
Licensing Consultant

Date