



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

September 16, 2020

Rose Schuh
 820 Terrace Ave.
 Kingsford, MI 49802

RE: License #: DG220263626
Schuh, Rose
820 Terrace Ave.
Kingsford, MI 49802

Dear Ms. Schuh:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 09/15/2020, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2019:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 906.226.4171.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in blue ink that reads "Wendy S. Highland". The signature is written in a cursive style with a large initial "W".

Wendy Highland, Licensing Consultant
Bureau of Community and Health Systems
234 W. Baraga Ave.
Marquette, MI 49855
(906) 290-4937

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG220263626
Licensee Name:	Rose Schuh
Licensee Address:	820 Terrace Ave. Kingsford, MI 49802
Licensee Telephone #:	
Licensee:	N/A
Name of Facility:	Schuh, Rose
Facility Address:	820 Terrace Ave. Kingsford, MI 49802
Facility Telephone #:	(906) 779-1409
Original Issuance Date:	01/27/2004
Capacity:	12
Age Range:	Ages Birth Thru 11 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/16/2020

		No. of Records Reviewed
No. of children enrolled in care		20 10
No. of assistant caregivers employed		1 1
No. of child care children present at time of inspection		6
No. of other children present at time of inspection		0
No. of assistant caregivers present at time of inspection		1
Licensee present at time of inspection?		Yes
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input checked="" type="checkbox"/>

Approved child use space: Basement and main floor of home.

Exiting information (including second floor and basement): Basement: stairs to main floor and approved exit.

Approved variances - No Yes Description:

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
The hot tub has a locked cover.
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and

training information. Children's records include child information cards and child in care statements/receipts.

This facility is in compliance with all rules and policies.

During the inspection, the consultant provided technical assistance in reference to Executive Orders. The consultant directed the provider to review current Executive Orders to assure that the facility is following all applicable items.


Observations

The children were engaged in developmentally appropriate outdoor play throughout the course of the inspection.

Consultation was provided in regards to the updating of child information cards, as well as the indoor trampoline which was surrounded by a locked gate. Ms. Schuh stated that it was for her grandchildren.

IV. RECOMMENDATION

I recommend renewal of this child care license.



09/16/2020

Wendy Highland
Licensing Consultant

Date